



Bowers & Wilkins



24" metal spiked stand for 805D2 **Black or brushed aluminum finish**

Designed to match the 805D2, this elegant matching floor stand raises the speaker to the correct listening height and provides a stable, rigid support.

Catering to all circumstances, there is a choice of upward facing spikes, screws or reusable adhesive to attach the speaker. Floor spikes are included.

Available in all black or brushed aluminum with grey base and top, the column incorporates a cable conduit and may be filled with sand to add mass and damping.



11.6" metal spiked center channel stand for HTM2D or HTM4D **Black or brushed aluminum finish**

The metal spiked stand for the HTM2D and HTM4D supports the speaker at a height low enough to allow the use of large projector screens that come to within 2 feet of the floor and has zero, 4 or 8 degrees of tilt-back so that the speaker can be directed towards the listeners.

Available in all black or brushed aluminum with grey base and top. Floor spikes and screws to attach the speaker are included.



38.6" metal spiked stand for PM1 **Mocha Gloss finish**

The matching PM1 stand is finished in a premium mocha gloss on the vertical supports with a complimentary black gloss on the plinth. Either the supplied spikes or rubber feet may be used to stabilize the stand. There is an access column through the base that provides discreet wiring for the speakers.



23.5" metal spiked stand for CM1 and CM5 **Black or brushed aluminum finish**

The stylish matching floor stand for the CM1 and CM5 elevates the speaker to the appropriate listening height and provides steady support. The base is made of cast iron, guaranteeing solidity. To add mass, the aluminum columns may be packed with sand. A cable conduit is included in one of the columns.

The stand comes either solid black or with brushed aluminum columns and grey base and top. Floor spikes and screws to attach the speaker to the stand come standard.

Stand Information



**24" metal spiked stand
for DM685 and DM686
Black finish**

The DM685 and 686 features twin 24" metal vertical columns that can be filled with sand to reduce vibration and provide rock-solid support. Spikes and rubber feet are supplied. Available in black finish only.



**38" floor stand for M-1
Matte Black and White finish**

The M-1 stand is an option where wall or shelf mounting is not required. The M-1's innovative cable management system really comes into its own when used with the floor stand. Cable enters via the stand (or table plinth or wall bracket) and the electrical signal is conducted to the speaker through the metal 'arm' that supports it. The arm itself forms the negative conductor, and a single, insulated wire running inside it provides the positive one. The height of the unit on the table top stand in the vertical position is 9.8". The height in the horizontal position is 5 7/16".



**Floor stand for FPM4 and FPM5
Silver finish**

This matching floorstand offers a solid, elegant mount, and allows cables to be concealed in a channel at the rear. Vertical mount only.



**Floor stand for FPM6
Silver finish**

This stand raises the FPM6 to the correct listening height and allows for positioning anywhere in a room as rear speakers for home cinema, or in hi-fi applications. Cables are concealed in a channel at the rear. Vertical mount only.



**Table mount stand for FPM4,
FPM5 and FPM6
Silver finish**

Thanks to this specially designed stand FPMs can sit happily on a tabletop alongside or below an LCD TV. Vertical or horizontal mounting.

FPM Table Stand Dimensions

Speaker	Mount	Height w/ speaker
FPM4	vertical	24.5"
FPM4	horizontal	10.25"
FPM6	vertical	32.75"
FPM6	horizontal	10.75"
FPM6	vertical	32.75"
FPM6	horizontal	10.75"

Stand Specifications

Model	Order Code	Height	Height w/ Speaker	Width	Depth	Weight
805	<i>Black:</i> N85SB <i>Br. Alum.:</i> N85SA	23.4"	40"	11"	14.7"	18 lbs.
PM1	<i>Mocha Gloss:</i> PM1SMG	25.6"	38.6"	10.6"	11.8"	43 lbs.
CM1, CM5	<i>Black:</i> FSCM700B <i>Br. Alum.:</i> FSCM700A	23.4"	34.4" 36.8"	10.9"	14.5"	22 lbs.
DM685, DM686	D61S	24"	37.4" 34.5"	9.5"	11.75"	18 lbs.
HTM2D, HTM4D	<i>Black:</i> HTMBS <i>Br. Alum.:</i> HTMSS	11.6"	24.6" 22.6"	20.5"	12.3"	29.3 lbs.
M1	<i>Matte Black:</i> M1SMB <i>Matte White:</i> M1SMW	37.7"	42.7"	9.9"	9.9"	12.8 lbs.
FPM Table Stand	FPMDS	8"	see description	8.25"	7.1"	16 lbs.
FPM4, FPM5	FPMFS	42.5"	47.75" 51.5"	10.25"	8.75"	40 lbs.
FPM6	FPM6FS	39.75"	51.75"	10.25"	8.75"	39 lbs.

B&W Bowers & Wilkins

B&W Group Ltd
Dale Road
Worthing West Sussex
BN11 2BH England

T +44 (0) 1903 221800
F +44 (0) 1903 221801
info@bwgroup.com
www.bwspeakers.com

UK Group (UK Sales)
T +44 1903 221 500
E uksales@bwgroup.com

B&W Group North America
T +1 978 664 2870
E marketing@bwgroupusa.com

B&W Group Asia Ltd
T +852 2 869 9916
E showroom@bwgroup.hk